

PLEASE NOTE: ALL PRICES SHOWN ARE INCLUSIVE OF VAT AT 20%.

## CONTENTS

	Create the pertect wetroom and Step 1 example	es <b>04</b>
	Floor former overview	06
- BUILD YOUR CODE -	1   Aqua-Dec Linear  A   Select Aqua-Dec Linear style  B   Select Aqua-Dec Linear size  C   Select Aqua-Dec Linear drainage solutio  D   Select Aqua-Dec Linear drain top design	
- BUILD YOUR CODE -	1   Aqua-Dec EasyFit  A   Select Aqua-Dec EasyFit style  B   Select Aqua-Dec EasyFit size  C   Select Aqua-Dec EasyFit drainage solution  D   Select Aqua-Dec EasyFit drain top design	20 - 27
	2   WaterGuard™ waterproofing 3   Aqua-Mat™ underfloor heating 4   Personalise the space Soho® wetroom screens & doors Shower waste pumps Geesa accessories Stages of a wetroom	28 30 32 34 36 38
	Contact information	47

### CREATE THE PERFECT WETROOM

### Step 1

This step is a build up of four key elements (A, B, C, D) as a 'Build Your Code' structure. This creates a complete floor former and drainage order code.

A | Floor former style

B | Floor former size

C | Drainage solution

D | Drain top design

Each of the above have different options and therefore a different Product Code which need to be noted down. These are then put together to give you Step 1's Order Code.

#### A | Select floor former style

Identify the look that is desired within the room.
Things to consider are the cuts for the tiles as well as the space available for the floor former.

#### B | Select floor former size


Choose the size of the floor former to go within the showering area.

#### C | Select drainage solution

This will depend on the wetroom space and the situation it is being placed into.

#### D | Select drain top design

A variety of drain top designs and drain inserts are available to create the perfect look.



Combine all four Product Codes to give you Step 1's Order Code.

#### Step 2

Add WaterGuard waterproofing for the room.

#### Step 3

Choose Aqua-Mat underfloor heating and thermostat.

### Step 4


Personalise the space with Soho wetroom screens and doors, shower waste pumps and Geesa accessories.

### STEP 1 EXAMPLES

#### Aqua-Dec Linear



### Aqua-Dec EasyFit



### FLOOR FORMER OVERVIEW

### Aqua-Dec Linear 1™ - see page 12



1 gradient leading to the drain No diagonal tile cuts

800mm linear drain tops

Ideal for corner or open installations

Linear drain 50mm from the wall

3 sizes available

Not trimmable

22mm thick

Made in the UK

Designed and manufactured in the UK

### Aqua-Dec Linear $2^{m}$ - see page 13



2 gradients leading to the drain

No diagonal tile cuts

600mm linear drain top

Ideal for alcove installations

Linear drain 244mm from the wall

Off-set waste position, with 2 sump locations

Not trimmable

22mm thick

Made in the UK

Designed and manufactured in the UK

### Aqua-Dec Linear 3™ - see page 14



3 gradients leading to the drain

2 diagonal tile cuts

800mm linear drain top

Ideal for walk-through installations

Linear drain 50mm from the wall

Off-set waste position, with 2 sump locations


 ${\sf Trimmable}$ 

22mm thick

Made in the UK

Designed and manufactured in the UK





### Aqua-Dec Linear 4™ - see page 15



4 gradients leading to the drain

4 diagonal tile cuts

600 or 800mm linear drain top

The most versatile Linear option, compatible with walk-through, walk-in, corner and alcove spaces

Linear drain 194mm from the wall

Off-set waste position, with 2 sump locations

Not trimmable (excluding 2000 x 1200mm)

22mm thick

Made in the UK

Designed and manufactured in the UK

### Aqua-Dec EasyFit™ - see page 22



4 gradients leading to the drain

125mm or 127mm square drain, depending on drain top design

The most versatile floor former, suited to all showering situations

360° drain positioning


4 diagonal tile cuts

Trimmable

22mm thick

Made in the UK

Designed and manufactured in the  $\ensuremath{\mathsf{UK}}$ 




LIFETIME

Complete the system with WaterGuard™ to receive our Lifetime Watertight Guarantee

### Floor former sizes

	Aqua-Dec Linear 1	Aqua-Dec Linear 2	Aqua-Dec Linear 3	Aqua-Dec Linear 4	Aqua-Dec EasyFit
800 x 800mm					✓
900 x 900mm		✓		✓	✓
1000 x 1000mm		✓		✓	✓
1200 x 750mm					✓
1200 x 800mm	✓				
1200 x 900mm		✓	✓	✓	✓
1200 x 1000mm	✓				
1200 x 1200mm	✓			✓	✓
1300 x 800mm			Achievable*		✓
1400 x 900mm		✓	Achievable*	✓	✓
1500 x 800mm			✓		✓
1500 x 900mm			✓		Achievable*
1500 x 1200mm				Achievable*	✓
1600 x 750mm			✓		
1600 x 900mm			Achievable*	✓	Achievable*
1700 x 750mm					✓
1800 x 800mm			✓		Achievable*
1800 x 900mm			✓		Achievable*
1850 x 900mm					✓
2000 x 1000mm				✓	
2000 x 1200mm				✓	

<sup>\*</sup>This size can be achieved by trimming a larger Aqua-Dec floor former. Please contact our Technical team for details







## AQUA-DEC LINEAR™ FLOOR FORMER INNOVATION

Designed with choice in mind, the Aqua–Dec Linear floor former range helps to achieve the desired look of each unique tiled wetroom, with four design variations and ranging in size from 900 x 900mm to 2000 x 1200mm.

The Aqua-Dec Linear range features an elegant linear drain top in either a 600mm or an 800mm length depending on the size of the floor former.





Aqua-Dec Linear 1

NEW

With having a single fall for the water to drain, the Aqua-Dec Linear 1 wetroom floor former brings the modern look to your bathroom. Sleek design and functionality, requiring the minimal amount of grout lines and tile cuts. Integrating your showering area into your bathroom floor seamlessly. The Aqua-Dec Linear 1 is 22mm thick and can be installed on timber or concrete floors, providing flow rates of 40l/min.



Aqua-Dec Linear 2

The construction of the Aqua-Dec Linear 2 wetroom floor former means there is no need to mitre the tiles in the corners. High-quality stainless steel inserts are available to finish the tile edges, which can be either flush to a wall or covered with a wetroom glass panel (not included with 1400 x 900mm). The Aqua-Dec Linear 2 is 22mm thick and can be installed on timber or concrete floors, providing flow rates of 40l/min.



Aqua-Dec Linear 3


Unlike the Aqua-Dec Linear 1, 2 and 4, the Aqua-Dec Linear 3 can be cut to length within 75mm each side of the drain edge to assist with alcove spaces. Ideal for a minimal 'barely there' look with a compatible walk-through screen. The Aqua-Dec Linear 3 is 22mm thick and can be installed on timber or concrete floors, providing flow rates of 40l/min.



Aqua-Dec Linear 4

The style of the floor former, with 4 gradients leading down to the drain, draws your eye to the Linear Drain Top and provides a real statement. The broad range of sizes, 2 drainage widths of 600mm and 800mm and balanced design makes this the most versatile Linear floor former. The AquaDec Linear 4 is 22mm thick and can be installed on timber or concrete floors, providing flow rates of 40l/min.

# A SELECT YOUR STYLE AQUA-DEC LINEAR 1TM






Universal (not handed) floor former
1 gradient leading to the drain
No diagonal tile cuts
800mm linear drain top with various designs available
Ideal for corner or open installations
Linear drain 50mm from the wall
Off-set waste position, with 2 sump locations
Not trimmable
22mm thick, same depth as standard floorboards
Made in the UK
Suitable for timber or concrete floors
Fixing kit supplied
Flow rates between 35 - 40l/min, tested in accordance
with BS 274-1 and 2:2002 (depending on chosen drain top)

Product Code: ADL1

## B | SELECT YOUR SIZE



Please note, Aqua-Dec Linear 1 floor formers are all supplied with an 800mm drain top.

Aqua-Dec Linear 1 is designed and made in the UK







Complete the system with WaterGuard™ to receive our Lifetime Watertight Guarantee

# A SELECT YOUR STYLE AQUA-DEC LINEAR 2<sup>TM</sup>







Universal (not handed) floor former 2 gradients leading to the drain

No diagonal tile cuts

600mm linear drain top with various designs available Ideal for alcove installations

Linear drain 244mm from the wall

Off-set waste position, with 2 sump locations

Not trimmable

22mm thick, same depth as standard floorboards

Made in the UK Stainless steel right angle tile trims\* are supplied to finish the tile edges - positioned flush to wall or covered with

wetroom glass panel (excluding the 1400 x 900mm) Suitable for timber or concrete floors

Fixing kit supplied

Flow rates between 35 - 40l/min, tested in accordance with BS 274-1 and 2:2002 (depending on chosen drain top)

**Product Code: ADL2** 

## **SELECT YOUR SIZE**

			NEW
900 x 900mm	1000 x 1000mm	1200 x 900mm	1400 x 900mm
600mm drain	600mm drain	600mm drain	600mm drain
707—900—367— 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1000 417 1066 417 1066 417 1066 417 1066 417 1066 417 1066 417 1066	367 166 367 16	700 - 367 - 166 -
Product Code: 9090	Product Code: 1010	Product Code: 1290	Product Code: 1490
£810.50 exc. VAT	£839.19 exc. VAT	£853.53 exc. VAT	£877.56 exc. VAT
£972.60 inc. VAT	£1,007.03 inc. VAT	£1,024.24 inc. VAT	£1,053.07 inc. VAT

Please note, Aqua-Dec Linear 2 floor formers are all supplied with an 600mm drain top.




Complete the system with WaterGuard™ to receive our Lifetime Watertight Guarantee



Aqua-Dec Linear 2 is designed and made in the UK

# A SELECT YOUR STYLE AQUA-DEC LINEAR 3TM





Universal (not handed) floor former
3 gradients leading to the drain
2 diagonal tile cuts
800mm linear drain top with various designs available
Ideal for walk-through installations
Linear drain 50mm from the wall
Off-set waste position, with 2 sump locations
Trimmable - trimmed equally on both sides up to 75mm
from the drain edge\*
22mm thick, same depth as standard floorboards
Made in the UK
Suitable for timber or concrete floors
Flow rates between 35 - 40l/min, tested in accordance
with BS 274-1 and 2:2002 (depending on chosen drain top)

\*1200 x 900mm is not trimmable

Product Code: ADL3

## B | SELECT YOUR SIZE

1200 x 900mm*	1500 x 800mm	1500 x 900mm	1600 x 750mm	1800 x 800mm	1800 x 900mm
800mm drain	800mm drain	800mm drain	800mm drain	800mm drain	800mm drain
8 - 537 - 1200 - 537 - 166 - 537 - 166 - 537 - 166 - 537 - 166 - 537 - 166 - 537 - 166 - 537 - 166 - 1	554	75 1500 667 166 667 166 1667 166 1667 166 1667 1668 1668	777 — 1600 — 777 — 166 — 777 — 166 — 777 — 166 — 777 — 166 — 177 — 167 —	30 817 1800 I I 854 854	817 1800 817 166 817 1800 818 1800 8100
Product Code: 1290	Product Code: 1580	Product Code: 1590	Product Code: 1675	Product Code: 1880	Product Code: 1890
£892.19 exc. VAT	£958.00 exc. VAT	£968.66 exc. VAT	£1,004.25 exc. VAT	£1,060.16 exc. VAT	£1,084.65 exc. VAT
£1,070.63 inc. VAT	£1,149.60 inc. VAT	£1,162.39 inc. VAT	£1,205.10 inc. VAT	£1,272.19 inc. VAT	£1,301.58 inc. VAT


Please note, Aqua-Dec Linear 3 floor formers are all supplied with an 800mm drain top.





# A SELECT YOUR STYLE AQUA-DEC LINEAR 4TM





Universal (not handed) floor former

- 4 gradients leading to the drain
- 4 diagonal tile cuts

600mm or 800mm linear drain top with various designs available

Compatible with walk-through, walk-in, corner and alcove spaces

Linear drain 194mm from the wall

Off-set waste position, with 2 sump locations

Not trimmable (excluding 2000 x 1200mm\*)

22mm thick, same depth as standard floorboards

Made in the UK

Suitable for timber or concrete floors

Flow rates between 35 - 40l/min, tested in accordance with BS 274-1 and 2:2002 (depending on chosen drain top)

Product Code: ADL4

### **NEW** 900 x 900mm 1000 x 1000mm 2000 x 1200mm 600mm drain 600mm drain 600mm drain Product Code: 9090 Product Code: 1010 Product Code: 2012 £783.85 exc. VAT £810.50 exc. VAT £1,251.45 exc. VAT £940.62 inc. VAT ££972.60 inc. VAT £1,501.74 inc. VAT

## B | SELECT YOUR SIZE

Please note, Aqua–Dec Linear 4 floor formers are all supplied with either a 600mm or an 800mm drain top depending on size of floor former.


\*2000 x 1200mm can be trimmed, please see Install Guide for details

				NEW
1200 x 900mm	1200 x 1200mm	1400 x 900mm	1600 x 900mm	2000 x 1000mm
800mm drain	800mm drain	800mm drain	800mm drain	800mm drain
517 — 1200 — 517 — 166 — 517 — 167 — 166 — 167 — 166	1200 517 — 1666 — 517 — 1672 — 1772 — 1874	1400- 617 1666 - 617 - 167 - 1667 - 17 - 17 -	634 1660 634 66 6 634 66 6 634 66 6 634 66 6 634 66 6 634 66 6 6 6	917 — 2000 917 — 166 — 917 — 177 —
Product Code: 1290	Product Code: 1212	Product Code: 1490	Product Code: 1690	Product Code: 2010
£839.19 exc. VAT	£875.05 exc. VAT	£866.69 exc. VAT	£879.44 exc. VAT	£1,210.25 exc. VAT
£1,007.03 inc. VAT	£1,050.06 inc. VAT	£1,040.03 inc. VAT	£1,055.33 inc. VAT	£1,452.30 inc. VAT

# C | SELECT YOUR AQUA-DEC LINEAR DRAINAGE SOLUTION

Drainage solutions for various wetroom spaces and scenarios are provided. In some situations, a certain drain type will be required due to the setting it is being placed in.


For Aqua-Dec Linear 1, 2, 3 and 4 there are two Gravity Drain options available, either horizontal outlet or vertical outlet. Both of these variations come with a choice of Drain Top designs and finishes which add a touch of individual style to the wetroom.



### **Gravity Drain**

The Gravity Drain is the most popular drain type to be used. Compatible with the Aqua–Dec Linear range within existing floor structure or easily incorporated into a new build.

- Specifically designed clamp to secure WaterGuard membrane, for a secure watertight seal at the drainage point. This membrane clamp has been created to also work as a cutter guide for WaterGuard.
- Patented height adjustment technology, allowing for tile height and underfloor heating. This technology allows adjustment between 6 26mm depending on drain top. Please note, there is a fixed height of 13mm and 24mm for some designs.
- Flow rate for Aqua-Dec Linear range is 35 40l/min, minimum. Tested in accordance with BS 274-1 and 2:2002 (depending on chosen drain top).
- Specially designed hook and removable bucket included for easy cleaning.
- The Gravity Drain has been designed to include a 50mm water seal to prevent odours escaping from the drainage system and feature a 43mm solvent weld pipe connection.
- 43mm Vertical Outlet, can also be connected into a 110mm Vertical waste.
- Tested in accordance to EN 1253.
- Vertical outlet is 27mm off centre to assist with alignment to existing pipework.







Aqua-Dec Linear 1 floor formers are all supplied with an 800mm drain top.

Aqua-Dec Linear 2 floor formers are all supplied with a 600mm drain top.

Aqua-Dec Linear 3 floor formers are all supplied with an 800mm drain top.


Aqua-Dec Linear 4 floor formers are supplied with either a 600mm or an 800mm drain top depending on size of floor former. See floor former page for confirmation.






#### **COMPATIBLE WITH:**

✓ Aqua-Dec Linear 2✓ Aqua-Dec Linear 4 (various)



✓ Aqua-Dec Linear 1✓ Aqua-Dec Linear 3


Aqua-Dec Linear 4 (various)



The drain outlet is offset allowing the drain to be rotated 180° at installation, the outlet is also fully rotatable allowing 360° waste positioning to avoid any potential obstacles such as joists and pipework.

Gravity horizontal outlet shown in diagram.


#### **GRAVITY HORIZONTAL OUTLET**



### Product Code: G/H

£0.00 exc. VAT

#### **GRAVITY VERTICAL OUTLET**



### Product Code: G/V

£0.00 exc. VAT £0.00 inc. VAT

# D | SELECT YOUR AQUA-DEC LINEAR DRAIN TOP DESIGN



The Element drain top has a height adjustment of 6-26mm.

Aqua-Dec Linear 1 floor formers are all supplied with an 800mm drain top.

Aqua-Dec Linear 2 floor formers are all supplied with a 600mm drain top.

Aqua-Dec Linear 3 floor formers are all supplied with an 800mm drain top.

Aqua-Dec Linear 4 floor formers are supplied with either a 600mm or an 800mm drain top depending on size of floor former. See floor former page for confirmation.



All Drain Tops are made using 304 grade stainless steel in the UK

### **DRAIN INSERT OPTIONS**

The Tiled Insert (24mm) has a fixed height of 24mm, from the Aqua–Dec Linear to the top of the tiling frame. All of the other Drain Insert Options have a fixed height of 13mm, from the Aqua–Dec Linear to the top of the tiling frame.



### **DESIGNER LINEAR DRAINS**

The Designer Linear Drain Top collection has a height adjustment of 6-26mm.

	Connect		Marrakesh		Echo		Morse	
	Product Code: Co	ON	Product Code: M	ARR	Product Code: E0	СН	Product Code: M	OR
600mm	£110.64 exc. VAT	£132.77 inc. VAT	£136.34 exc. VAT	£163.61 inc. VAT	£109.52 exc. VAT	£131.42 inc. VAT	£131.87 exc. VAT	£158.24 inc. VAT
800mm	£134.11 exc. VAT	£160.93 inc. VAT	£167.63 exc. VAT	£201.16 inc. VAT	£131.87 exc. VAT	£158.24 inc. VAT	£154.22 exc. VAT	£185.06 inc. VAT

### LINEAR ALLURE COLLECTION

The palette introduced within this collection enhances existing finishes, accents and accessories within the bathroom environment allowing you to truly personalise the wetroom with colour.

The Linear Allure collection uses either the Element or the Mirage drain top with a PVD (Physical Vapour Deposition) coating applied.

Drains are voluntarily tested to EN 1253.



### LINEAR ALLURE BRUSHED


The Linear Allure Brushed collection uses the Element drain top with a PVD coating applied and has a height adjustment of 6–26mm.




### LINEAR ALLURE POLISHED

The Linear Allure Polished collection uses the Mirage drain with a PVD coating applied and has a fixed height of 13mm.

	Gold Polished		Black Polished		Anthracite Poli	shed
	Product Code: SI	PSS-01	Product Code: SI	PSS-02	Product Code: S	PSS-04
600mm	£430.73 exc. VAT	£516.88 inc. VAT	£430.73 exc. VAT	£516.88 inc. VAT	£430.73 exc. VAT	£516.88 inc. VAT
800mm	£525.29 exc. VAT	£630.35 inc. VAT	£525.29 exc. VAT	£630.35 inc. VAT	£525.29 exc. VAT	£630.35 inc. VAT








The Aqua-Dec EasyFit is designed and made in the UK




### Lifetime Watertight Guarantee

Install our WaterGuard™ system with any Aqua-Dec floor former and receive our Lifetime Watertight Guarantee.



Aqua-Dec EasyFit is available in a range of sizes from a compact 800mm square to the most spacious 1850 x 900mm option.








### **Build It Awards 2019**


Best Drainage or Plumbing Product

Aqua-Dec EasyFit and product design are trademarked. Aqua-Dec EasyFit remains the intellectual property of Impey.

surface to bond with wet concrete.

# A | SELECT YOUR STYLE AQUA-DEC EASYFITTM





Universal (not handed) floor former

4 gradients leading to the drain

4 diagonal tile cuts

Portfolio of drain top designs

The most versatile floor former, suited to all showering situations Variety of drainage options available

Patented 360° rotating drain plate circumnavigates any underfloor obstructions

Trimmable up to the solid surround

22mm thick, same depth as standard floor board

Made in the UK

Lightweight and strong material, tested up to 300kg


No need for underboarding

Suitable for timber or concrete floors

Flow rates of up to 36l/min, tested in accordance with BS 274-1 and 2:2002


**Product Code: ADE** 

The Aqua-Dec EasyFit features a large central 360° rotating drain plate to help circumnavigate all potential floor joists and underfloor obstructions.




Patented innovation that delivers unrivalled installation benefits.

The spoked structure underside increases strength and provides the ideal surface for bonding to concrete.




The Aqua-Dec EasyFit can be installed into both wooden and concrete floor as the floor former is the same depth as most floorboards and the spoke structure provides the perfect surface to bond with wet concrete.

## B | SELECT YOUR SIZE



1200 x 900mm	1200 x 1200mm	1300 x 800mm	1400 x 900mm
Adjustable (520 to 680)  Adjustable (520 to 680)	Adjustable (520 to 680)  Adjustable (520 to 680)	Adjustable (570 to 730)  Adjustable (570 to 730)  Adjustable (570 to 730)	Adjustable (620 to 780)    OSE of 1000   OSE
Product Code: 1290	Product Code: 1212	Product Code: 1380	Product Code: 1490
£628.96 exc. VAT	£707.82 exc. VAT	£628.96 exc. VAT	£650.01 exc. VAT
£754.75 inc. VAT	£849.38 inc. VAT	£754.75 inc. VAT	£780.01 inc. VAT

1500 x 800mm	1500 x 1200mm	1700 x 750mm	1850 x 900mm
Adjustable (670 to 830)  Adjustable (670 to 830)  Adjustable (670 to 830)	Adjustable (670 to 830)  Adjustable (670 to 830)	Adjustable (770 to 930)  Adjustable (770 to 930)  Adjustable (770 to 930)	Adjustable (845 to 1005)  Adjustable (845 to 1005)  Adjustable (845 to 1005)  Adjustable (845 to 1005)
Product Code: 1580	Product Code: 1512	Product Code: 1775	Product Code: 18590
£650.01 exc. VAT	£785.08 exc. VAT	£785.08 exc. VAT	£785.12 exc. VAT
£780.01 inc. VAT	£942.10 inc. VAT	£942.10 inc. VAT	£942.14 inc. VAT







## C | SELECT YOUR AQUA-DEC EASYFIT DRAINAGE SOLUTION

Drainage solutions for various wetroom spaces and scenarios are provided. In some situations, a certain drain type will be required due to the setting it is being placed in.


The three main drainage types are: Gravity drainage, Slim+ drainage and Pumped drainage.

These drainage options are for Aqua-Dec EasyFit floor formers and are suitable for both timber and concrete floors. All of the Gravity, Slim+ and Pumped Drains come with a choice of Drain Top designs and finishes which add a touch of individual style to the wetroom.












### **Gravity Drain**

The Gravity Drain is the most popular drain type to be used. Compatible with all Aqua-Dec floor formers within your existing floor structure or easily incorporated into a new build.

- Specifically designed to secure WaterGuard membrane into place using a clamp, guaranteeing a secure watertight seal at the drainage point.
- The patented height adjustment technology allows adaptability between 6-26mm to suit various tile depths. Height adjustment for Tiled Insert, Paragon and Allure collection are between 14-24mm.
- The Gravity Drain for Aqua-Dec EasyFit has a flow rate of 361/min depending on the drain top.
- The 50mm water seal of the Gravity Drain prevents odours escaping from the drainage system and features a 43mm solvent weld pipe connection.
- Specially designed hook and removable bucket included for easy cleaning.








COMPATIBLE WITH:			
<b>✓</b>	Pattern col	lection	
<b>✓</b>	Tiled Insert	t	
<b>✓</b>	Paragon		
<b>/</b>	Allure collection		
✓	Vinyl*	NEW	
Prod	Vinyl* uct Code: G		
	-		
£0.00	uct Code: G		

Top edge of Aqua-Dec EasyFit to underside of horizontal drain is 117mm

### Slim+ Drain

The Slim+ Drain is designed for when the floor structure below is restricted in depth.

- Specifically designed to secure WaterGuard membrane into place using a clamp, guaranteeing a secure watertight seal at the drainage point.
- The patented height adjustment technology allows adaptability between 6-26mm to suit various tile depths.
- The Slim+ Drain has a potential flow rate of up to 32 l/min.
- Specially designed hook and hair trap included which is easy to remove and clean without affecting the membrane.






### **Pumped Drain**

The Pumped Drain is the ideal solution for unbreachable floors as it evades any limitations that a floor structure may bring.

- Specifically designed to secure WaterGuard membrane into place using a clamp, guaranteeing a secure watertight seal at the drainage point.
- The patented height adjustment technology allows adaptability between 6-26mm to suit various tile depths.
- The Pumped Drain must be used with a shower waste pump to discharge showering water in areas gravity drainage is not an option, and is fully compatible with Whale pumps.
- The Pumped Drain flow rate is dependent on your chosen shower waste pump; 12l/min (Instant Match Premium) and 20l/min (Dry Deck 20).
- Specially designed hook included for easy cleaning.





<sup>\*</sup>Please note for vinyl installation, there is no height adjustment



Impey also supports other drain variants. Please contact our Technical team or visit impeyshowers.com

Please note: sketches are not to scale

# D | SELECT YOUR AQUA-DEC EASYFIT DRAIN TOP DESIGN

### PATTERN COLLECTION

The Pattern collection has a height adjustment of 6–26mm.

### COMPATIBLE WITH:

- ✓ Gravity drainage
- ✓ Slim+ drainage
- Pumped drainage



All Drain Tops are made using 304 grade stainless steel in the UK


Slot	Fibre	Grid	Identity	Stamp
Product Code: 01	Product Code: 02	Product Code: 03	Product Code: 04	Product Code: 05
£159.65 exc. VAT	£161.71 exc. VAT	£161.71 exc. VAT	£161.71 exc. VAT	£164.80 exc. VAT
£191.58 inc. VAT	£194.05 inc. VAT	£194.05 inc. VAT	£194.05 inc. VAT	£197.76 inc. VAT

### **TILED INSERT**

### Tiled Insert 14mm

Product Code: T14 £77.25 exc. VAT £92.70 inc. VAT

#### **COMPATIBLE WITH:**



The Tiled Insert has a height adjustment of 14–24mm, with a maximum tile depth of 10mm.





Horizontal Grey	Vertical Grey
UTVG01/H	UTVG01/V
£0.00 exc. VAT	£0.00 exc. VAT
£0.00 inc. VAT	£0.00 inc. VAT

Horizontal Chrome	Vertical Chrome
UTVC01/H	UTVC01/V
£126.95 exc. VAT	£126.95 exc. VAT
£152.34 inc. VAT	£152.34 inc. VAT

Chrome Cover Cap shown

СОМ	PATIBLE WITH:
<b>✓</b>	Gravity drainage
<b>✓</b>	Slim+ drainage
<b>✓</b>	Pumped drainage



Complete the system with WaterGuard™ to receive our Lifetime Watertight Guarantee

### **PARAGON**

Two new solid stainless steel drain tops available; Paragon Brushed and Paragon Polished. Created for both minimalism and customisation within the bathroom space, providing the perfect platform for design.

The Paragon drain tops have a height adjustment of 14-24mm.





COMPATIBLE WITH:

Gravity drainage

### **SQUARE ALLURE COLLECTION**

The Square Allure collection uses the Paragon (Brushed or Polished) drain top with a PVD (Physical Vapour Deposition) coating applied giving you a choice of colours and finishes. The palette introduced within this collection enhances existing finishes, accents and accessories within the bathroom environment allowing you to truly personalise the wetroom with colour. Drains are voluntarily tested to EN 1253.

### **SQUARE ALLURE BRUSHED**

The Square Allure Brushed collection uses the Paragon Brushed drain with a PVD coating applied, and has a height adjustment of 14–24mm.



### **SQUARE ALLURE POLISHED**


The Square Allure Polished collection uses the Paragon Polished drain with a PVD coating applied, and has a height adjustment of 14–24mm.

Paragon Polished Gold	Paragon Polished Black	Paragon Polished Anthracite	COMPATIBLE WITH:
			✓ Gravity drainage
Product Code: PARP-01	Product Code: PARP-02	Product Code: PARP-04	
£288.40 exc. VAT	£288.40 exc. VAT	£288.40 exc. VAT	
£346.08 inc. VAT	£346.08 inc. VAT	£346.08 inc. VAT	

## 2 | SELECT YOUR WATERGUARD<sup>TM</sup> COVERAGE

WaterGuard is a 1mm thick, flexible waterproofing membrane provided in 1m widths. The complete wetroom sealing solution – not just for floors but also to walls. When correctly installed across the entirety of a wetroom floor, it provides an impenetrable barrier against leaks, guaranteed for life.

This unique system provides the ultimate watertight wetroom with its market-leading membrane design. WaterGuard™ is fully compatible with all Impey products including Aqua-Mat underfloor heating, with resistance of up to 60°C. Impey's WaterGuard has been certified according to DIN FN ISO 9001:2008



### Mandatory requirement. Red zone


The entire wetroom floor must be tanked with WaterGuard to qualify for our lifetime guarantee. This will prevent any water ingress into the floor structure

### Recommended. Red and Blue zone

The entire floor and walls immediately inside the wet area and extending 600mm beyond should be tanked to stop any water ingress into the floor and the walls.

### Highly recommended. Complete coverage

WaterGuard tanking throughout the entire wetroom (floors and walls) will create a seamless impenetrable wetroom, providing heat and sound insulation and decoupling throughout.



## What are the benefits of adding WaterGuard?

Install WaterGuard with any Impey Aqua-Dec and receive our Lifetime Watertight Guarantee.

Only 1mm thick but offers the superior decoupling properties of 10mm.

Works with heavy wall tiles. Tried and tested to work with wall tiles and build up of up to 30kg/m².

Provides thermal insulation. Fully tested and compatible with Impey Aqua–Mat underfloor heating.

### WATERGUARD KIT OPTIONS

Product	Contents	Product Code	Exc. VAT	Inc. VAT
5m² Floor Kit	5m² of Impey WaterGuard membrane, 500ml BAL primer, 15m jointing tape, 5x internal corners, 1x external corner, Butyl sealant	WG5.	£328.45	£394.14
10m² Floor Kit	10m² of Impey WaterGuard membrane, 500ml BAL primer, 20m jointing tape, 5x internal corners, 1x external corner, Butyl sealant	WG10.	£505.73	£606.88
10m² Wall Kit	10m² of Impey WaterGuard wall membrane, 500ml BAL primer, 10m jointing tape, Butyl sealant	WG10W.	£411.87	£494.24
15m² Wall Floor Kit	5m² of Impey WaterGuard floor membrane, 10m² Impey WaterGuard wall membrane, 15m jointing floor tape, 10m jointing wall tape, 5x internal corners, 1x external corner, 2x Butyl sealant, 2x 500ml BAL primer	WG15WF	£721.88	£866.26
20m² Wall Floor Kit	10m <sup>2</sup> of Impey WaterGuard floor membrane, 10m <sup>2</sup> Impey WaterGuard wall membrane, 20m jointing floor tape, 10m jointing wall tape, 5x internal corners, 1x external corner, 2x Butyl sealant, 2x 500ml BAL primer	WG20WF	£874.82	£1,049.78

### **ADDITIONAL COMPONENTS**

Description		roduct ode	Exc. VAT	Inc. VAT
10m Jointing Tape	W	/GJT10	£67.88	£81.46
Internal Corner	W	/GIPC	£12.50	£15.00
External Corner	W	/GEPC	£12.50	£15.00
Butyl Joint Sealant	W	/GJS	£13.21	£15.85
500ml BAL Primer	W	/GPR	£28.85	£34.62



## 3 | CHOOSE YOUR AQUA-MAT™ UNDERFLOOR HEATING



Aqua-Mat underfloor heating is the finishing touch to make the most of your wetroom.

Aqua-Mat offers unrivalled warmth, exceptionally fast drying times, and complete comfort underfoot. Aqua-Mat is 100% compatible with all Impey wetroom products.

Manufactured to the most stringent of European standards with highly efficient running costs.

Purchase with your preferred thermostat.



12 year guarantee



Call our Technical team on 01460 256080 for more information

### SELECT THE PRODUCT & SIZE TO SUIT YOUR APPLICATION

Aqua-Mat 100W - Suitable for wooden & concrete floors				
Area to be warmed m <sup>2</sup>	Heating Load Watts	Product Code	Exc. VAT	Inc. VAT
1	100	AM1.0/V2	£93.36	£112.03
1.5	150	AM1.5/V2	£106.75	£128.10
2	200	AM2.0/V2	£124.20	£149.04
2.5	250	AM2.5/V2	£146.27	£175.52
3	300	AM3.0/V2	£163.71	£196.45
3.5	350	AM3.5/V2	£183.05	£219.66
4	400	AM4.0/V2	£201.51	£241.81
5	500	AM5.0/V2	£228.09	£273.71
6	600	AM6.0/V2	£260.66	£312.79
7	700	AM7.0/V2	£291.50	£349.80
8	800	AM8.0/V2	£318.88	£382.66
9	900	AM9.0/V2	£335.34	£402.41
10	1000	AM10.0/V2	£346.54	£415.85
12	1200	AM12.0/V2	£430.54	£516.65

Aqua-Mat 150W - Suitable for concrete floors				
Area to be warmed m <sup>2</sup>	Heating Load Watts	Product Code	Exc. VAT	Inc. VAT
1	150	AM1.0/150V2	£103.96	£124.75
1.5	225	AM1.5/150V2	£120.77	£144.92
2	300	AM2.0/150V2	£147.03	£176.44
2.5	375	AM2.5/150V2	£188.93	£226.72
3	450	AM3.0/150V2	£210.04	£252.05
3.5	525	AM3.5/150V2	£221.58	£265.90
4	600	AM4.0/150V2	£231.05	£277.26
5	750	AM5.0/150V2	£283.55	£340.26
6	900	AM6.0/150V2	£325.56	£390.67
7	1050	AM7.0/150V2	£367.55	£441.06
9	1350	AM9.0/150V2	£451.58	£541.90
10	1500	AM10.0/150V2	£493.59	£592.31

### SELECT YOUR PREFERENCE OF THERMOSTAT

### **AMBER DT-TWO**



- Large colour touch screen front
- 7 day, 6 period programme
- Floor temperature limiting function
- Sensor offset
- Frost protection
- Holiday mode
- 2 year warranty

Product Type	Product Code	Exc. VAT	Inc. VAT
Amber DT-Two	DT2	£118.04	£141.65

### **DEVIREG**



- 2" Backlit touch screen
- 7 day programmable
- Simple 7 step set up wizard
- Both floor and air sensor
- Reduce energy waste by up to 12%
- 5 year warranty

Product Type	Product Code	Exc. VAT	Inc. VAT
DEVIreg Black	DMTBLACK	£158.67	£190.40
DEVIreg White	DMTWHITE	£158.67	£190.40

### **DEVISMART**



- WIFI Connectivity
- Simple and intuitive touch screen design
- Remote controllable using the DEVIsmart App
- Control your underfloor heating anywhere, at any time
- Able to control an unlimited number of locations
- Can be paired with up to 10 mobile devices
- Variety of Smart features including frost protection, weekly schedule, holiday mode and economy mode
- Smart app features allow you to schedule your requirements, and adapt to climatic conditions, reducing your energy costs
- 5 year warranty

Product Type	Product Code	Exc. VAT	Inc. VAT
DEVI Smart Black	DVSBLACK	£218.01	£261.61
DEVI Smart White	DVSWHITE	£218.01	£261.61

# 4 PERSONALISE YOUR WETROOM SOHO® WETROOM SCREENS & DOORS



The Soho wetroom screen is inspired by urban industrial partitioning, the high-quality aluminium-framed screen is powder coated in jet black boasting 8mm safety glass; exposed frames on the outside of the unit, and visible screws to enhance the screen's authentic appeal.

The Hinged and Sliding door can be installed as a completely level-access solution. Both doors have frames on the outside and are flush on the inside for easy cleaning.

The Sliding door has soft open and close, and quick release technology for easy cleaning.

- Height: 2100mm to top of screens
- 8mm toughened safety glass tested to EN12150 and EN12600 standards
- Matte black finish
- Hidden hinges and seals
- 10 year guarantee
- CE certified
- For wetroom floors only. Cannot be installed on a shower tray

Example appl	ications and the required produ		ions shown) Sliding	Walle in 7 M	Calle Abreau ab
Alcove 3 walls	• Hinged door	• Hinged door	• Sliding door	• Horizontal panel	aik-through
Corner 2 walls	Hinged door     Side panel	with in-line panel  Hinged door with in-line panel  Side panel	Sliding door     Side panel     Additional profile*	Horizontal panel	• Vertical panel
1 wall	N/A	N/A	Sliding door Side panels (x2) Additional profile* (x2)	Horizontal panel     Additional bracing bar	Vertical panel     Additional bracing bar

Product Type	Size (mm)	Handing	Product Code	Exc. VAT	Inc. VAT
linged door	800	Left	AH24SC01-80 LEFT	£885.70	£1,062.84
	800	Right	AH24SC01-80 RIGHT	£885.70	£1,062.84
	900	Left	AH24SC01-90 LEFT	£924.34	£1,109.21
	900	Right	AH24SC01-90 RIGHT	£924.34	£1,109.21
Hinged door with in-line panel	1200	Left	AH24SC01-120 LEFT	£1,094.69	£1,313.63
	1200	Right	AH24SC01-120 RIGHT	£1,094.69	£1,313.63
	1400	Left	AH24SC01-140 LEFT	£1,150.66	£1,380.79
	1400	Right	AH24SC01-140 RIGHT	£1,150.66	£1,380.79
Sliding door	1200	Left	AH24SL01-120 LEFT	£932.93	£1,119.52
	1200	Right	AH24SL01-120 RIGHT	£932.93	£1,119.52
	1400	Left	AH24SL01-140 LEFT	£1,036.05	£1,243.26
	1400	Right	AH24SL01-140 RIGHT	£1,036.05	£1,243.26
Side panel	800	N/A	AH24SP02-80	£602.49	£722.98
	900	N/A	AH24SP02-90	£630.42	£756.60
Walk-in/walk-through horizontal panel	900	N/A	AW24SC01-N1-90	£717.78	£861.34
	1000	N/A	AW24SC01-N1-100	£739.61	£887.53
Walk-in/walk-through vertical panel	1200	N/A	AW24SC01-N1-120	£832.48	£998.97
	1400	N/A	AW24SC01-N1-140	£898.70	£1,078.44
Additional accessories	Additional bracing bar	N/A	AH24-BAR100	£81.51	£97.81
	Angled bracing bar kit	N/A	AH24-BA01-KIT	£46.34	£55.61
	Ceiling bracing bar	N/A	AH24-BC01-KIT	£83.96	£100.75
	Additional profile*	N/A	AH24-SP-KIT	£25.42	£30.50

 $<sup>{}^\</sup>star Profile\ required\ for\ sliding\ door\ when\ installed\ with\ a\ side\ panel.\ 1\ profile\ required\ per\ side\ panel.$ 

## 4 | PERSONALISE YOUR WETROOM SHOWER WASTE PUMPS



With market-leading products Impey and Whale have made level-access showering a reality for thousands of customers for nearly two decades. Partnering together, Impey and Whale make the installation of a wetroom possible in places where gravity drainage is not an option.

Whether down in a basement, or up in a loft conversion the options for a wetroom installation are more attainable now than ever before. Whale luxury wetroom pumps are fully compatible with the Impey Aqua-Dec EasyFit™ wetroom system and pumped drain.

#### Features & benefits

- Easily concealed within a vanity unit, or cupboard
- Wall mounted up to 2m away from the shower drain
- Fully automated with shower control
- Quiet operation- clever calibration to minimise suction noise at drain
- Removes shower run off with automatic purge cycle after 15 minutes
- Pumps shampoo, gel and hair without blocking
- 5 year extended warranty\*
- BBA Approved (Dry Deck 20)

If you are considering a pumped waste solution for your luxury wetroom project, please contact our Technical department for further information on the Whale Instant Match Premium and Dry Deck 20 shower waste pumps. For all queries and information on spare parts please contact 01460 256080

<sup>\*</sup>T&Cs apply

### What is a pump?

A shower waste pump is used to discharge showering waste water, in areas you could not traditionally install a wetroom, where a gravity fall to drains cannot be achieved.

The Whale pumps listed on these pages connect directly to the hot and cold shower supplies, and will turn on and off automatically with the shower.



### SELECT YOUR SHOWER WASTE PUMP

Pump Model	Flow Rate	Universal (non-handed inlet)	Speed Set-up	Adjustable Off Delay	Optional Overrun Switch	Integral Valves (prevent drain odours)	IP45 Compliant
Instant Match Premium	12 ltrs per min	~	Automatic	~	~	<b>✓</b>	~
Dry Deck 20	20 ltrs per min	<b>/</b>	Manual	<b>✓</b>	~	<b>✓</b>	<b>/</b>

### **INSTANT MATCH PREMIUM**

The choice of shower waste pump for showers with flow rates not exceeding, or regulated up to 12 l/min. Whale's quietest shower drainage pump to date built on 20 years of experience with over 300,000 kits installed throughout the UK.

Description	Product Code	Exc. VAT	Inc. VAT
Instant Match Premium	SWP/IMPR	£813.28	£975.94

### **DRY DECK 20**

When you want a shower waste pump that can handle a bit more volume, the Dry Deck 20 is suitable for showers with a flow rate of up to 20 l/min. Designed to minimise drainage suction noise by precisely matching the pump flow rate to the shower flow rate.

Description	Product Code	Exc. VAT	Inc. VAT
Dry Deck 20	DDW/20	£1,093.61	£1,312.33

# 4 | PERSONALISE YOUR WETROOM ACCESSORIES

Impey's sister brand Geesa has a variety of bathroom accessories to finish off the look.

geesa.











Please see Geesa Brochure for full range and prices




All Impey wetroom floor formers are 22mm thick and can be placed directly onto timber joists acting as reinforced floorboard replacements or set into concrete floors.

With four types of floor former to choose from, across the Aqua–Dec EasyFit and the Aqua–Dec Linear range, you can achieve the perfect look and result for any situation.

Installed in line with supplied instructions, our range of wetroom formers easily support weights of 47 stone and are guaranteed for life.






Wetroom waterproofing or 'tanking' is a process which is designed to prevent water and humidity from penetrating the floors and walls of a showering area or building.


Water damage can cause serious issues to a building's structure. By correctly waterproofing wetroom floors and walls you guarantee a leak-free showering area. The self-adhesive WaterGuard membrane is laid across the entire floor and can also be used on walls.

A chemical-free and modern solution, WaterGuard is the most advanced wetroom tanking system available.

Receive Impey's Lifetime Watertight Guarantee when WaterGuard™ is installed correctly alongside an Impey wetroom floor former.








Stepping into a heated and comfortable wetroom, at just the right temperature and with the floor warm to the touch, makes for the ultimate showering experience.

Aqua-Mat underfloor heating across the entire floor and wet area creates the ideal floor tile temperature for showering all year round and is suitable for all types of floor, new concrete or wooden.

Modern underfloor heating can now be controlled remotely to ensure you can prepare a warm floor well in advance of use.






Tiles, wetroom screens and accessories will complete the look of your new wetroom creating a truly accessible space for all age groups. A wetroom caters for all showering needs whilst dramatically reducing cleaning times and potentially adding value to a home.

This is an Impey wetroom. This is modern showering.





### THE CORAM GROUP

Impey is part of Coram International.

#### CORAM

#### The Coram International bathroom group

A Dutch family-owned business with offices in the Netherlands, Belgium, United Kingdom, Poland & Norway.

Exporting to more than 70 countries worldwide.

#### OTHER CORAM GROUP BRANDS INCLUDE:



**Coram Showers:** A leading brand of shower enclosures, bath screens and shower trays with over 70 years of operation in the UK with very strong presence in plumbers merchant and bathroom retail sectors. Coram enclosures are designed to meet the highest aesthetic and functional standards expected whilst maintaining the reputation as a stylish and hassle-free range to install and maintain. Style with Standards.



**Geesa:** A world-class bathroom accessory brand since 1885. Geesa products have been installed in over 1100 hotels and cruise ships worldwide and hotel chains such as the Holiday Inn, Intercontinental and Radisson Blu. Ships such as 'Oasis of the Seas' and the 'Celebrity Solstice', each with 4000 cabins on board and thus the largest cruise ships in the world, have been furnished entirely with Geesa accessories.



**Sealskin:** Founded by Gerrit van Loon over 250 years ago. Sealskin started as an international producer of leather products. Over time, the company expanded its product range to include shower curtains, intended to dress the bathroom. Since 1950, shower enclosures have been added to the range, which are market-leading for their thoughtful design, smart functionality and eye for detail.

The company has been part of the Coram group since 1986 and dominates the showering market across the Benelux region.



**Tiger:** Founded in 1950, Tiger specialised in a manufacturing a wide range of plastic products for different applications. From bicycle handles to soap dishes. Tiger quickly became very successful in the Netherlands and in 1957 a start was made on exploring the international market. The Tiger brand grew quickly into international playing field with a wide range of bathroom accessories. The brand is recognised for it's design and innovation.

## **CONTACT US**

## impey

#### **Impey**

Conquest House, Cad Road, Ilton, Somerset TA19 9EA

We have a dedicated Customer Services and Technical team who are on hand to offer a personalised solution to any queries regarding the Impey product range or installations.

Our opening hours are: 8:00am to 4:30pm Monday - Friday

**Tel:** 01460 256080

General enquiries or sales: <a href="mailto:salesorders@impeyshowers.com">salesorders@impeyshowers.com</a>
Technical Support: <a href="mailto:technical.support@impeyshowers.com">technical.support@impeyshowers.com</a>

Website: www.impeyshowers.com











The trade body for all manufacturing businesses supplying the UK bathroom market.



The Tile Association has over 1,000 members, consisting of tiling contractors, fixers, distributors, retailers and manufacturers. The aim is to achieve a competent, qualified workforce in the industry.



Truly cloud-based pricing, selling and business management system specifically designed for the KBB sector. Powered by the most up-to-date, accurate and enriched product catalogue database in the industry. Backed up by amazing customer support.



Virtual Worlds are the leaders in interactive 3D design and fully immersive 4D cinema software, offering the ability to design your future bathroom in a virtual space before you buy.



Price, manage and order using one system. Easy Quote simplifies the process with integrated software and access to the largest KBB catalogue database in the UK.





ISO 9001:2015

100 14001.2010

01460 256080 impeyshowers.com

Printed with biodegradable laminate:

- ✓ protecting the environment from single use plastics
- ✓ reducing negative impact on the environment.

@impeyshowers









Whilst every care has been taken to ensure that the information included in this document was accurate at the time of printing, we reserve the right to change product specifications at any time without prior notice. The photographs reproduced in this document publication are within the constraints of the printing process and are not to be used for matching purposes. All photographs are used for approximate representation only and may not show the actual products on offer. Errors and Omissions Excepted.

Full terms and conditions available at www.impeyshowers.com